



Shanghai EverSkill M&E Co.,Ltd.

*YOUR PARTNER
FOR SUCCESS*

CONTENT

01/02	About EverSkill
03/04	Our Product
05/06	Aluminium Craft Map
07/10	Aluminum Foil
11/12	Household Aluminum Foil
13	Medical Laminated Packing Materials
14	Aluminum Foil (Moisture-barrier) Bag
15/16	Aluminum Strip
17/18	Aluminum Plate
19/20	Aluminum Seamless Tube
21/22	Aluminum Profile
23/24	Sales Networks



Global Customer Service

We anticipate and meet customer needs with the highest quality products and services in a timely and cost effective manner.

World Wide Availability

We support product development cycles with dedicated sales engineering resources and factory that deliver on time, anywhere in the world.

Service

At Everskill, we have built a singular source, under one name, for all your needs. We dedicate our varied resources to provide you with the service in the fastest possible time. Establishing an alliance with Everskill at the start of your project will bring this full spectrum of capabilities to your design team and will ultimately provide you with a competitive advantage.

About EverSkill

Shanghai EverSkill M&E Co., Ltd is the sale office of China Aluminum Corporation Northwest Aluminum Fabrication Branch, we produce high quality Aluminum foil and composite Aluminum foil. Northwest Al. is qualified supplier for China Space, Aviation, Ordnance Industry, Nuclear Industry, Defense, Transportation, Machinery, Instrument etc, whose manufacturing capability is 100,000 Metric Tons per year now.

We have satisfied many clients in the aviation, marine, military and other industrial fields. They source our high-strength aluminum alloy, customized aluminum products. Such as BMW and Hubbell.



ISO 9001:2008

Our Product





Aluminum Foil & Strip



Aluminum Plate




Aluminum Seamless Tube



Aluminum Profile

Aluminium Craft Map

Heavy Gauge Foil



Light Gauge Aluminium Foils



1 Aluminum Foil

Light Gauge Foil

Light Gauge Aluminum foil products are used in Package, Electric & capacitor, Beer label, Building. Remarks: 0.006-0.012 mm Generally we call the width at 0.006-0.012 mm as Double Zero foil

Name	Light Gauge Aluminum foil
	Thickness: 0.006-0.012mm
Spec.	Width: 260, 350, 460, 787-1650mm etc. 1320mm at max
Alloy /Temper	1235-O, 801-O, 1235-H18
Application	Used in wrapping field. For instance the cigarette, food packing, electric condenser, building waterproof

Aluminum foil products are used in Packing field: Cigarette, food, beer-label, electric condenser.

Name	Aluminum foil For Cigarette Packing
	Thickness: 0.006-0.007mm
Spec.	Width: 350, 460, 545mm, etc. 1650mm at max
Alloy /Temper	1235-O
Application	For Cigarette

Name	Aluminium Foil For Electric Condenser
	Width: 1600mm
Spec.	Thickness: 0.006, 0.0065, 0.007
Alloy/Temper	1235-O
Application	For Electric condenser

Name	Aluminium Foil For Beer Label
	Width: 700mm, or according to customer's request
Spec.	Thickness: 0.001, 0.0015, 0.002, 0.0025
Alloy/Temper	801-O, 8006-O
Application	For Beer label

Light Gauge Aluminum foil products are used in Package, Electric & capacitor, Beer label, Building. Remarks: 0.006-0.012 mm Generally we call the width at 0.006-0.012 mm as Double Zero foil



Heavy Gauge Foil


Heavy Gauge Aluminum foil products are used in building, pharmaceutical packaging, cable, plastic pipe.

Name	Heavy Gauge Aluminium Foil
Spec.	Thickness : 0.02mm- 0.2mm Width:5650mm
Alloy	1235/ 1145/ 8011/ 3A21/ 8006,
Temper	H18/ H24/ O
Application	Used mainly: In building to keep temperature, dampproofing etc.; Pastern tape , wrappings , ware ,etc. in various kinds of wrappings , container, composite ,electric electron trade

Name	Decoration Aluminium foil
Spec.	Thickness : 0.26mm-0.2mm Width : 1240mm / 1600mm ; If special width, according as order in batch
Alloy /Temper	1100 - H18
Application	Used in the building decoration trade, can offer high-quality bottom aluminium ,aluminium material for aluminium mould complex board manufacturer mainly; For example, office building, hotel , shop ,outside of residential building, counter, furniture, the shop, lift, dust proof and interior decoration

Name	Foil for medicine packing
Spec.	Thickness : 0.02mm Width : 515 , 530 , 510mm According to the request of customers.
Alloy	801 - H18
Temper	Medical package, medical package material

Name	Cable wrap foil
Spec.	Thickness : 0.15 , 0.2mm Width : 400 , 450 , 500 , 550 , 600mm
Alloy /Temper	1145-O , 8011-O
Application	The communication cable wrap aluminium foil. The industrial cable wrap Al strip





Household Aluminum Foil

Due to its good characteristics, aluminum foil is widely used for food cooking, freezing wrapping, storing etc. Our aluminum foil is mainly for household using and catering using. The marketplaces of our aluminum foil are mainly retail market and foodservice market, such as hypermarket, chain store and hotel, restaurant etc.

Our Aluminum Foil:

High-temperature sterilization
Made of advanced pollution-free aluminum, 100% food safe
Environmentally friendly, recoverable and recyclable
Used for storing, packing, grilling/ baking, heating and freezing
Customized orders available

The Foil Specification We Are Making:

Length: 3-300m ,
Width: 250-600mm,
Thickness: 0.009 to 0.025mm.

The most common sizes are 250mm,300mm and 450mm among our range.
According to the foil use and market demand, the foil is packed in an individual colour box, PP bag or white cellophane paper. We can make the package per customer's design or use Time's design.

Medical Laminated Packing Materials

PTP

- 1.Used in blister packaging of tables, capsules, pills, etc.
- 2.Excellent barrier property for gas light and moisture.
- 3.Perfect heat-sealing with PVC- PVDC- ACLAR
- 4.Print four colors.

Plastic-Alu-Plastic Laminated Foil

1. Excellent barrier for air and moisture.
2. Packaging of powder, granulates and blister, etc.
3. Perfect printing to ensure high-grade.

Alu-Alu Strip Foil

1. Excellent barrier property for gas and moisture.
2. Packaging of tablets and capsules, suppositories, etc.
3. Easy to tear.

Paper-Alu-Pe Laminated Foil

1. Perfect printing to ensure high-grade.
2. Good straight character.
3. Excellent barrier property for gas and moisture.
4. Good character of decomposition, friend to environment.

The product is widely used for bagged packaging of suspensions, powder and granules.

Aluminum Foil (Moisture-barrier) Bag


Product Description: Aluminum foil bag is usually composed of four layers, and can protect inside products from static ,electromagnetic interference, and moisture . The bag is mainly applied to pack electronic components , precision equipment and chemical raw material etc. the product has superior puncture resistance and surface ,we can offer the necessary certificates , such as Rohs, PFOA/PFOS and halogens testing report from SGS institution , Different types will be available here like open-end, and various tri-dimensional styles.



Aluminum Strip


Product Description: Aluminum foil bag is usually composed of four layers, and can protect inside products from static ,electromagnetic interference, and moisture , The bag is mainly applied to pack electronic components , precision equipment and chemical raw material etc. the product has superior puncture resistance and surface ,we can offer the necessary certificates , such as Rohs, PFOA/PFOS and halogens testing report from SGS institution , Different types will be available here like open-end, and various tri-dimensional styles.

Alloy	Temper	Thickness (mm)	Width (mm)
1070A, 1060, 3050A, 1035, 1200, BA06, 1100, 800, 1235, 1145	O	0.21~3.0	50~1500
	H12, H22	0.21~3.0	50~1500
	H14, H24	0.21~3.0	50~1500
	H16, H26	0.21~3.0	50~1500
	H18	0.21~3.0	50~1500
3A21, 3003	O	0.21~3.0	50~1500
	H14, H24	0.21~3.0	50~1500
	H18	0.21~3.0	50~1500



2 Aluminum Plate

Alloy	Temper	Thickness (mm)	width (mm)	Length (mm)
1070A, 1060, 1050A, 1035, 1200, 8A06, 1000, 800, 1235, 1145	O	0.3~2.5	700~1200	≤5000
	H12, H22	0.3~2.5	700~1200	≤5000
	H14, H24	0.3~2.5	700~1200	≤5000
	H16, H26	0.3~2.5	700~1200	≤5000
3A21, 3003	H18	0.3~2.5	700~1200	≤5000
	O	0.3~2.5	700~1200	≤5000
	H14, H24	0.3~2.5	700~1200	≤5000
	H18	0.3~2.5	700~1200	≤5000




3 Aluminum Seamless Tube

variety	alloy	temper	spec (mm)		
			Dia.	Thickness	Length
Round Pipe	1070A, 1060, 1050A, 1035, 1200, 8A06, 5A02, 5A03, 5A06, 3A21	O	6-220	0.5-8.0	up to 6000
		HX4	6-220	0.5-8.0	up to 6000
		HX8	6-220	0.5-8.0	up to 6000
		H112	25-280	5-32.5	up to 6000
		O	6-280	0.5-32.5	up to 6000
		T4	6-220	0.5-8.0	up to 6000
	2A11, 2A12, 6A02	H112	25-280	5-32.5	up to 6000
		O	6-280	0.5-32.5	up to 6000
		T6	6-220	0.5-8.0	up to 6000
		H112	25-280	5-32.5	up to 6000
		O	6-280	0.5-32.5	up to 6000
		T6	6-220	0.5-8.0	up to 6000
6A02, 6061, 6063, 7A04, 7A09, 7075	H112	25-280	5-32.5	up to 6000	

variety	alloy	temper	spec (mm)		
			Dia.	Thickness	Length
Square Pipe	1070A, 1060, 1050A, 1035, 1200, 8A06, 5A02, 3A21	O	1030-140x140	1-8.0	up to 6000
		HX4	1030-140x140	1-8.0	up to 6001
		HX8	1030-140x140	1-8.0	up to 6002
	2A11, 2A12, 6A02	O	1030-140x140	1-8.0	up to 6003
		T4	1030-140x140	1-8.0	up to 6004
		T6	1030-140x140	1-8.0	up to 6005
Rectangular Pipe	1070A, 1060, 1050A, 1035, 1200, 8A06, 5A02, 3A21	O	1430-140x140	1-8.0	up to 6000
		HX4	1430-140x140	1-8.0	up to 6000
		HX8	1430-140x140	1-8.0	up to 6000
	2A11, 2A12, 6A02	O	1430-140x140	1-8.0	up to 6000
		T4	1430-140x140	1-8.0	up to 6000
		T6	1430-140x140	1-8.0	up to 6000
Waveguide Pipe	3A21	HX8	15.8x7.9~72x34	1-8.0	up to 4000

4 Aluminum Profile

Alloy	Temper	sectional area (cm ²)	Thickness (mm)	overall dimensions (mm)
1060, 1050A, 1035, 1200, 8A06, 5A02, 5A03, 5A05, 5A06, 5A12, 3A21	HI12	0.2~150	1~100	10~320
	O	0.2~150	1~100	10~320
	HI12	0.2~150	1~100	10~320
2A11, 2A12, 2024	T4	0.2~150	1~100	10~320
	O	0.2~150	1~100	10~320
	HI12	0.2~150	1~100	10~320
7A04, 7A09, 7075, 2A16	T6	0.2~150	1~100	10~320
	O	0.2~150	1~100	10~320
	HI12	0.2~150	1~100	10~320
6A02, 6061, 6063	HI12, T4, T6	0.2~150	1~100	10~320
6063	T5	0.3~21	1~15	10~150



JOIN US!



Key Partners

Icon fitness
Blend Tec
Special Ops
Kwik-Wall
Dana



Enoc System
Thule
Bright Group
Luxfer Cylinder



Sales Network

“Satisfying Our Customers
Equals To Satisfy Ourselves”

Our Sales Network

“Satisfying our customers equals to satisfy ourselves”, based on optimizing our resource and good quality and management system, we keep on developing and innovating to offer our clients the best solution; At the same time our products are also exported to America, Germany, France, Switzerland, Italy Japan, Korea etc our ten countries in the world and we found permanent and stable cooperative relation with them; We will also make good use of our advantage of advanced technique to promote new materials in the new fields and to head and fit the changeable requirement



Shanghai EverSkill M&E co., Ltd.

Add: Rm C333, NO. 150, Zhennan Road, Putuo District, Shanghai, China

Phone: 0086 21 51029820

Fax: 0086 21 55036385

Website: www.esmeind.com

Email: jason@esmeind.com

USA Corporate Office

Add: 111 West 200 South, Farmington, Utah 84025 USA

Phone: 801-809-0085, 801-726-7953, 801-809-0086

Email: jeff@esmeind.com